#### SEQUENCE LISTING

GENERAL INFORMATION:

OCT 0 2 1998 5

Kohei MIYAZONO; Takeshe IMAMURA; Peter DEN DIJKE APPLICANT:

ii) TITLE OF INVENTION:

ISOLATED ALK-1 PROTEIN, NUCLEIC ACIDS ENCODING

IT, AND USES THEREOF

(iii) NUMBER OF SEQUENCES: 29

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Fulbright & Jaworski L.L.P.

(B) STREET:

805 Third Avenue

(C) CITY:

New York City

(D) STATE:

New York

(E) COUNTRY:

USA

(F) ZIP:

10022

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Diskette, 3.25 inch, 1.44mb

(B) COMPUTER: IBM PS/2

(C) OPERATING SYSTEM: PC-DOS

(D) SOFTWARE: Wordperfect

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: 09/039,177

(B) FILING DATE: March 13, 1998

(C) CLASSIFICATION: 435

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/GB93/02367

(B) FILING DATE: November 17, 1993

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: GB 9224057.1

(B) FILING DATE: November 17, 1992

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: GB 9304677.9

(B) FILING DATE: March 8, 1993

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: GB 9304680.3

(B) FILING DATE: March 8, 1993

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: 9311047.6

(B) FILING DATE: May 28, 1993

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: 9313763.6

(B) FILING DATE: July 2, 1993

- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: 9136099.2
  - (B) FILING DATE: August 3, 1993
- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: 321344.5
  - (B) FILING DATE: October 15, 1993
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Norman D. Hanson
  - (B) REGISTRATION NUMBER: 30,946
  - (C) REFERENCE/DOCKET NUMBER: LUD 5539 JEL/NDH
- (ix) TELECOMMUNICATION INFORMATION:

  - (A) TELEPHONE: (212) 688-9200
  - (B) TELEFAX:
- (212) 838-3884

(2)	(i)	SEQ (A) (B) (C) (D)	TION UENC LEN TYP STR TOP	E CH GTH: E: n ANDE OLOG	ARAC 198 ucle DNES Y: l	TERI 4 ba ic a S: u inea	STIC se p cid nkno r	S: airs								
	(ii: (v:	i) Al v) F: i) O: () ()	YPOT: NTI - RAGM RIGI: A) O: ATUR: A) N. B) L	SENS ENT NAL RGAN E: AME/	E: N TYPE SOUR ISM: KEY:	O : in CE: Hom CDS	o sa	pien	S							
	(xi)	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0: 1	:					
AGG	AAAC(	GGT :	TAT!	ragg/	AG GO	SAGTO	GTG	G AGO	TGGG	CCA	GGCF	GGAA	GA C	GCTG	GAATA	A 60
AGA	ACA!	rtt 1	rtgc:	rcca(	GC CC	CCA	rccci	A GTC	CCGG	GAG	GCTG	CCGC	GC C	AGCT	GCGCC	120
GAG	CGAG	CCC (	CTCC	CCGG	CT CC	CAGCO	CCGG:	r ccc	GGGC	CGC	GCCG	GACC	CC A	GCCC	GCCGT	180
CCAC	GCGC'	TGG (	CGGT	GCAA(	CT GO	CGGCC	CGCG	C GGI	'GGAG	GGG .	AGGT	'GGCC	CC G	GTCC	GCCGA	240
AGG	CTAG	CGC (	CCG	CCAC	CC G(	CAGA	GCGG(	G CC(	CAGA	EGGA		ATG A Met '				294
												TTG ( . Leu			CAG Gln 20	342
												ACC Thr			Cys	390
												GCC T Ala		Cys	ACA Thr	438
								Arg				GAA ( Glu 65			GGC Gly	486
															TTC Phe	534
												CAC A			TCC Ser 100	582

								ACA GAT Thr Asp 115	630
								SCC CTG Ala Leu	678
				Trp				CAG GAG Gln Glu	726
								ATC CTG Ile Leu	774
						Asp		ASP Ser 180	822
								CAG AGG Gln Arg 195	870
								GC CGC Gly Arg	918
								GCC GTC Ala Val	966
								CT GAG Thr Glu	1014
						Ile		TC ATC Phe Ile 260	1062
								CTC ATC Leu Ile 275	1110
								AGA CAG Arg Gln	1158
				Arg				GCA TGC Ala Cys	1206
								AA CCA Lys Pro	1254

310 315 320

											. Val			AAG A Lys		1302
										Leu				CAC T His 355		1350
									Asn					GGC A		1398
								Leu					Arg	ACG G Thr		1446
												Phe		CTG G Leu		1494
											Gly			GAG G Glu		1542
										Asn				TTT G Phe 435		1590
									Gln					ATC C		1638
								Leu					Gln	ATG A Met		1686
														CTG C Leu		1734
											Pro			CCT A Pro		1782
	ATT Ile		TAGO	CCAC	GGA C	GCAC(	CTGA	FT CO	CTTTC	CTGC	C TGC	CAGGO	GGC			1831
TGG	GGGG	GTG G	GGGG	CAG1	rg ga	TGGT	GCCC	CTAT	CTGG	GTA	GAGG'	TAGT	GT G	AGTGT	GGTG	1891
TGTO	GCTG	GGG A	TGGC	CAGO	CT GC	GCC1	GCC1	GCT	CGGC	CCC	CAGC	CCAC	CC A	GCCAA	AAAT	1951
ACAC	GCTG	GC :	rgaa <i>i</i>	ACCT(	GA AZ	AAAA	AAAA	A AA	A							1984

- (2) INFORMATION FOR SEQ ID NO: 2:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 503 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Thr Leu Gly Ser Pro Arg Lys Gly Leu Leu Met Leu Met Ala
1 5 10 15

Leu Val Thr Gln Gly Asp Pro Val Lys Pro Ser Arg Gly Pro Leu Val 20 25 30

Thr Cys Thr Cys Glu Ser Pro His Cys Lys Gly Pro Thr Cys Arg Gly
35 40 45

Ala Trp Cys Thr Val Val Leu Val Arg Glu Glu Gly Arg His Pro Gln 50 55 60

Glu His Arg Gly Cys Gly Asn Leu His Arg Glu Leu Cys Arg Gly Arg 65 70 75 80

Pro Thr Glu Phe Val Asn His Tyr Cys Cys Asp Ser His Leu Cys Asn 85 90 95

His Asn Val Ser Leu Val Leu Glu Ala Thr Gln Pro Pro Ser Glu Gln
100 105 110

Pro Gly Thr Asp Gly Gln Leu Ala Leu Ile Leu Gly Pro Val Leu Ala 115 120 125

Leu Leu Ala Leu Val Ala Leu Gly Val Leu Gly Leu Trp His Val Arg
130 135 140

Arg Arg Gln Glu Lys Gln Arg Gly Leu His Ser Glu Leu Gly Glu Ser 145 150 155 160

Ser Leu Ile Leu Lys Ala Ser Glu Gln Gly Asp Thr Met Leu Gly Asp 165 170 175

Leu Leu Asp Ser Asp Cys Thr Thr Gly Ser Gly Ser Gly Leu Pro Phe 180 185 190

Leu Val Gln Arg Thr Val Ala Arg Gln Val Ala Leu Val Glu Cys Val
195 200 205

Gly Lys Gly Arg Tyr Gly Glu Val Trp Arg Gly Leu Trp His Gly Glu 210 215 220

Ser Val Ala Val Lys Ile Phe Ser Ser Arg Asp Glu Gln Ser Trp Phe 225 230 235 240

Arg Glu Thr Glu Ile Tyr Asn Thr Val Leu Leu Arg His Asp Asn Ile Leu Gly Phe Ile Ala Ser Asp Met Thr Ser Arg Asn Ser Ser Thr Gln Leu Trp Leu Ile Thr His Tyr His Glu His Gly Ser Leu Tyr Asp Phe Leu Gln Arg Gln Thr Leu Glu Pro His Leu Ala Leu Arg Leu Ala Val Ser Ala Ala Cys Gly Leu Ala His Leu His Val Glu Ile Phe Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Phe Lys Ser Arg Asn Val Leu Val Lys Ser Asn Leu Gln Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Met His Ser Gln Gly Ser Asp Tyr Leu Asp Ile Gly Asn Asn Pro Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu Asp Glu Gln Ile Arg Thr Asp Cys Phe Glu Ser Tyr Lys Trp Thr Asp Ile Trp Ala Phe Gly Leu Val Leu Trp Glu Ile Ala Arg Arg Thr Ile Val Asn Gly Ile Val Glu Asp Tyr Arg Pro Pro Phe Tyr Asp Val Val Pro Asn Asp Pro Ser Phe Glu Asp Met Lys Lys Val Val Cys Val Asp Gln Gln Thr Pro Thr Ile Pro Asn Arg Leu Ala Ala Asp Pro Val Leu Ser Gly Leu Ala Gln Met Met Arg Glu Cys Trp Tyr Pro Asn Pro Ser Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Gln Lys Ile Ser Asn Ser Pro Glu Lys Pro Lys Val Ile Gln 

(2)	(i) (ii) (ii) (ii) (v)	SEQ (A) (B) (C) (D) ) MO: i) Hi i) Ai v) F: i) O: (X) F:	UENC LEN TYP STR TOP LECU YPOT NTI- RAGM RIGI A) O EATU A) N	E CH GTH: E: n ANDE OLOG LE T HETI SENS ENT NAL RGAN RE: AME/	ucle DNES Y: 1 YPE: CAL: E: N TYPE SOUR	TERI 4 ba ic a S: u inea cDN NO O : in CE: Hom	STIC se p cid nkno r A tern	S: pairs wn aal pien									
	(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	io: 3	3:						
CTC	CGAG'	TAC (	CCCA	GTGA	CC AC	SAGT	GAGA	G AAG	CTCI	rgaa	CGAC	GGC	ACG (	CGGC	TTGAA	G (	50
GAC'	rgtg(	GGC 1	AGAT(	GTGA(	CC A	AGAG(	CCTG	C ATT	'AAG'	ГТGТ	ACA				GGA Gly	1:	15
								ATG Met			a Leu				AGT o Ser 20	•	53
								AAC Asn		Lys				с Су	GTG s Val 5		L1
								GAG Glu 45						y Gl	CAG n Gln		59
								_					Ту		AAA n Lys		07
								GGA Gly				Cys			CCG r Pro		55
								TGC Cys			ı Gly				AAC s Asn 100		03
								ACT .		Gly					o Gly		51
								GGC Glv							GTG l Val	49	9

120 125 130

			Cys					Leu			GTT ( Val		Leu			547
							Arg				CGA ( Arg 160					595
											GGA ( . Gly					643
					His					Gly	AGT ( Ser					691
CCT Pro	TTT Phe	CTG Leu	GTA Val 200	CAA Gln	AGA Arg	ACA Thr	GTG Val	GCT Ala 205	Arg	CAG Gln	ATT A	ACA ( Thr	CTG T Leu 210	TTG G Leu	AG Glu	739
								Glu			AGG ( Arg					787
											CGT ( Arg 240					835
											ATG ( Met					883
										Thr	TCA A Ser					931
											ATG (					979
											AGC I Ser					1027
											CAC A His 320					1075
											GAT I Asp					1123

					Lys					Cys				TTG G Leu 355	Gly	1171
									Asn					GGG A Gly		1219
								Tyr					. Val	CTA G . Leu		1267
							Phe					Arg		GAT A . Asp		1315
											a Arg			GTG A		1363
										Phe				GTT C Val 435		1411
									Lys					GAT C . Asp		1459
													Thr	TTA A Leu		1507
												Asn		TCC G Ser		1555
											ı Thr			GAT A Asp		1603
								TGT Cys		'ATTI	TTC A	TAGT	GTCA	ιA		1650
GAAG	GAAC	SAT I	'TGAC	CGTTC	GT TG	TCAI	TGTC	CAG	CTGG	GAC	CTAA	TGCT	GG C	CTGAC	CTGGT	1710
TGTC	CAGA	ATG G	BAATO	CCATO	CT GT	'CTCC	CTCC	CCA	AATG	GCT	GCTT	TGAC.	AA G	GCAGA	ACGTC	1770
GTAC	CCA	GCC A	TGTG	TTGC	GG GA	.GACA	TCAA	AAC	CACC	CTA	ACCT	CGCT	CG A	TGACT	GTGA	1830
ACTO	GGC	ATT I	'CACG	BAACT	rg TI	'CACA	CTGC	AGA	GACT	'AAT	GTTG	GACA	GA C	ACTGT	TGCA	1890
AAGG	TAGO	GA C	TGGA	AGGAZ	AC AC	'AGAG	raaa:	CCT	AAAA	.GAG	ATCT	GGGC.	AT T	AAGTO	CAGTG	1950

GCTTTGCATA	GCTTTCACAA	GTCTCCTAGA	CACTCCCCAC	GGGAAACTCA	AGGAGGTGGT	2010
GAATTTTTAA	TCAGCAATAT	TGCCTGTGCT	TCTCTTCTTT	ATTGCACTAG	GAATTCTTTG	2070
CATTCCTTAC	TTGCACTGTT	ACTCTTAATT	TTAAAGACCC	AACTTGCCAA	AATGTTGGCT	2130
GCGTACTCCA	CTGGTCTGTC	TTTGGATAAT	AGGAATTCAA	TTTGGCAAAA	CAAAATGTAA	2190
TGTCAGACTT	TGCTGCATTT	TACACATGTG	CTGATGTTTA	CAATGATGCC	GAACATTAGG	2250
AATTGTTTAT	ACACAACTTT	GCAAATTATT	TATTACTTGT	GCACTTAGTA	GTTTTTACAA	2310
AACTGCTTTG	TGCATATGTT	AAAGCTTATT	TTTATGTGGT	CTTATGATTT	TATTACAGAA	2370
ATGTTTTAA	CACTATACTC	TAAAATGGAC	ATTTTCTTTT	ATTATCAGTT	AAAATCACAT	2430
TTTAAGTGCT	TCACATTTGT	ATGTGTGTAG	ACTGTAACTT	TTTTTCAGTT	CATATGCAGA	2490
ACGTATTTAG	CCATTACCCA	CGTGACACCA	CCGAATATAT	TATCGATTTA	GAAGCAAAGA	2550
TTTCAGTAGA	ATTTTAGTCC	TGAACGCTAC	GGGGAAAATG	CATTTTCTTC	AGAATTATCC	2610
ATTACGTGCA	TTTAAACTCT	GCCAGAAAAA	AATAACTATT	TTGTTTTAAT	CTACTTTTTG	2670
TATTTAGTAG	TTATTTGTAT	AAATTAAATA	AACTGTTTTC	AAGTCAAAAA	AAAA	2724

- (2) INFORMATION FOR SEQ ID NO: 4:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 509 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Val Asp Gly Val Met Ile Leu Pro Val Leu Ile Met Ile Ala Leu
1 5 10 15

Pro Ser Pro Ser Met Glu Asp Glu Lys Pro Lys Val Asn Pro Lys Leu 20 25 30

Tyr Met Cys Val Cys Glu Gly Leu Ser Cys Gly Asn Glu Asp His Cys 35 40 45

Glu Gly Gln Cys Phe Ser Ser Leu Ser Ile Asn Asp Gly Phe His
50 55 60

Val Tyr Gln Lys Gly Cys Phe Gln Val Tyr Glu Gln Gly Lys Met Thr 65 70 75 80

Cys Lys Thr Pro Pro Ser Pro Gly Gln Ala Val Glu Cys Cys Gln Gly 85 90 95

Asp Trp Cys Asn Arg Asn Ile Thr Ala Gln Leu Pro Thr Lys Gly Lys Ser Phe Pro Gly Thr Gln Asn Phe His Leu Glu Val Gly Leu Ile Ile Leu Ser Val Val Phe Ala Val Cys Leu Leu Ala Cys Leu Leu Gly Val Ala Leu Arg Lys Phe Lys Arg Arg Asn Gln Glu Arg Leu Asn Pro Arg Asp Val Glu Tyr Gly Thr Ile Glu Gly Leu Ile Thr Thr Asn Val Gly Asp Ser Thr Leu Ala Asp Leu Leu Asp His Ser Cys Thr Ser Gly Ser Gly Ser Gly Leu Pro Phe Leu Val Gln Arg Thr Val Ala Arg Gln Ile Thr Leu Leu Glu Cys Val Gly Lys Gly Arg Tyr Gly Glu Val Trp Arg Gly Ser Trp Gln Gly Glu Asn Val Ala Val Lys Ile Phe Ser Ser Arg Asp Glu Lys Ser Trp Phe Arg Glu Thr Glu Leu Tyr Asn Thr Val Met Leu Arq His Glu Asn Ile Leu Gly Phe Ile Ala Ser Asp Met Thr Ser Arg His Ser Ser Thr Gln Leu Trp Leu Ile Thr His Tyr His Glu Met Gly Ser Leu Tyr Asp Tyr Leu Gln Leu Thr Thr Leu Asp Thr Val Ser Cys Leu Arg Ile Val Leu Ser Ile Ala Ser Gly Leu Ala His Leu His Ile Glu Ile Phe Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Gln Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Met His Ser Gln Ser Thr Asn Gln Leu Asp Val Gly Asn Asn Pro Arg Val Gly Thr Lys Arg Tyr Met Ala Pro 

Glu Val Leu Asp Glu Thr Ile Gln Val Asp Cys Phe Asp Ser Tyr Lys 390 395 385 Arg Val Asp Ile Trp Ala Phe Gly Leu Val Leu Trp Glu Val Ala Arg 405 410 Arg Met Val Ser Asn Gly Ile Val Glu Asp Tyr Lys Pro Pro Phe Tyr Asp Val Val Pro Asn Asp Pro Ser Phe Glu Asp Met Arg Lys Val Val 435 445 Cys Val Asp Gln Gln Arg Pro Asn Ile Pro Asn Arg Trp Phe Ser Asp 455 Pro Thr Leu Thr Ser Leu Ala Lys Leu Met Lys Glu Cys Trp Tyr Gln Asn Pro Ser Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Thr 485 490 Lys Ile Asp Asn Ser Leu Asp Lys Leu Lys Thr Asp Cys 500 505 (2) INFORMATION FOR SEQ ID NO: 5: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 2932 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: unknown (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO (v) FRAGMENT TYPE: internal (vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

(B) LOCATION: 310..1905

(A) NAME/KEY: CDS

(ix) FEATURE:

GCTCCGCGCC GAGGGCTGGA GGATGCGTTC CCTGGGGTCC GGACTTATGA AAATATGCAT

CAGTTTAATA CTGTCTTGGA ATTCATGAGA TGGAAGCATA GGTCAAAGCT GTTTGGAGAA

120

AATCAGAAGT ACAGTTTTAT CTAGCCACAT CTTGGAGGAG TCGTAAGAAA GCAGTGGGAG

180

TTGAAGTCAT TGTCAAGTGC TTGCGATCTT TTACAAGAAA ATCTCACTGA ATGATAGTCA

240

TTTAAATTGG TGAAGTAGCA AGACCAATTA TTAAAGGTGA CAGTACACAG GAAACATTAC

300

AATTGAACA ATG ACT CAG CTA TAC ATT TAC ATC AGA TTA TTG GGA GCC

348

# Met Thr Gln Leu Tyr Ile Tyr Ile Arg Leu Leu Gly Ala 1 5 10

							AAT ( Asn 25	Leu			396
							CAG 2				444
						Leu	CCT ' Pro			Cys	492
					Ala		AAT A		Cys		540
				Ile			GAT ( Asp			GAA Glu	588
							GGA ' Gly 105	Ser		CAG Gln	636
							ACA I				684
							ACA (			Val	732
					Ile		TGG ( Trp		Leu	CTC Leu	780
				Ala			ATC '				828
							AGC ASS	Arg		TAC Tyr	876
										CA Ser 205	924
						Ser	GGT Z			Gly	972

						Ala					ATG GTC Met Va	ıl	1020
					Gly						AA TGG Lys Tr		1068
				Lys					Thr		AA GCC Glu Al	.a	1116
								· Val			GC CAT Arg Hi 28	s	1164
							Ile				GT TCC Gly Se 300	er	1212
		Tyr				Tyr					CCT CTC Ser Le		1260
					Leu					Leu	TT AAA Leu Ly		1308
				Gly					ı His		AA ATT Glu Il	.e	1356
								Arg			AG AGC Lys Se 36		1404
							Cys				AC CTG Asp Le 380	eu	1452
						Thr					TG CCC Val Pr	0	1500
					Arg					Glu	TG CTG Val Le	eu	1548
				His					: Ile		GCT GAC Ala As	sp	1596

ATC TAC AGC TTC GGC CTA ATC ATT TGG GAG ATG GCT CGT CGT TGT ATC Ile Tyr Ser Phe Gly Leu Ile Ile Trp Glu Met Ala Arg Arg Cys Il 430 440 435	
ACA GGA GGG ATC GTG GAA GAA TAC CAA TTG CCA TAT TAC AAC ATG GTA Thr Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr Tyr Asn Met Va 450 455 460	
CCG AGT GAT CCG TCA TAC GAA GAT ATG CGT GAG GTT GTG TGT GTC AAA Pro Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu Val Val Cys Val Ly 465 470 475	
CGT TTG CGG CCA ATT GTG TCT AAT CGG TGG AAC AGT GAT GAA TGT CTA Arg Leu Arg Pro Ile Val Ser Asn Arg Trp Asn Ser Asp Glu Cys Le 480 485 490	
CGA GCA GTT TTG AAG CTA ATG TCA GAA TGC TGG GCC CAC AAT CCA GCC Arg Ala Val Leu Lys Leu Met Ser Glu Cys Trp Ala His Asn Pro Al 495 500 505	1836 .a
TCC AGA CTC ACA GCA TTG AGA ATT AAG AAG ACG CTT GCC AAG ATG GTT Ser Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ala Lys Met Va 510 515 520 52	
GAA TCC CAA GAT GTA AAA ATC TGATGGTTAA ACCATCGGAG GAGAAACTCT Glu Ser Gln Asp Val Lys Ile 530	1935
AGACTGCAAG AACTGTTTTT ACCCATGGCA TGGGTGGAAT TAGAGTGGAA TAAGGATG	TT 1995
AACTTGGTTC TCAGACTCTT TCTTCACTAC GTGTTCACAG GCTGCTAATA TTAAACCT	TT 2055
CAGTACTCTT ATTAGGATAC AAGCTGGGAA CTTCTAAACA CTTCATTCTT TATATATG	GA 2115
CAGCTTTATT TTAAATGTGG TTTTTGATGC CTTTTTTTAA GTGGGTTTTT ATGAACTG	CA 2175
TCAAGACTTC AATCCTGATT AGTGTCTCCA GTCAAGCTCT GGGTACTGAA TTGCCTGT	TC 2235
ATAAAACGGT GCTTTCTGTG AAAGCCTTAA GAAGATAAAT GAGCGCAGCA GAGATGGA	GA 2295
AATAGACTTT GCCTTTTACC TGAGACATTC AGTTCGTTTG TATTCTACCT TTGTAAAA	CA 2355
GCCTATAGAT GATGATGTGT TTGGGATACT GCTTATTTTA TGATAGTTTG TCCTGTGT	CC 2415
TTAGTGATGT GTGTGTCT CCATGCACAT GCACGCCGGG ATTCCTCTGC TGCCATTT	GA 2475
ATTAGAAGAA AATAATTTAT ATGCATGCAC AGGAAGATAT TGGTGGCCGG TGGTTTTG	TG 2535
CTTTAAAAAT GCAATATCTG ACCAAGATTC GCCAATCTCA TACAAGCCAT TTACTTTG	CA 2595
AGTGAGATAG CTTCCCCACC AGCTTTATTT TTTAACATGA AAGCTGATGC CAAGGCCA	AA 2655
AGAAGTTTAA AGCATCTGTA AATTTGGACT GTTTTCCTTC AACCACCATT TTTTTTTGT	GG 2715

TTATTATTT TGTCACGGAA AGCATCCTCT CCAAAGTTGG AGCTTCTATT GCCATGAACC 2775

ATGCTTACAA AGAAAGCACT TCTTATTGAA GTGAATTCCT GCATTTGATA GCAATGTAAG 2835

TGCCTATAAC CATGTTCTAT ATTCTTTATT CTCAGTAACT TTTAAAAGGG AAGTTATTTA 2895

TATTTTGTGT ATAATGTGCT TTATTTGCAA ATCACCC 2932

- (2) INFORMATION FOR SEQ ID NO: 6:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 532 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met Thr Gln Leu Tyr Ile Tyr Ile Arg Leu Leu Gly Ala Tyr Leu Phe 1 5 10 15

Ile Ile Ser Arg Val Gln Gly Gln Asn Leu Asp Ser Met Leu His Gly
20 25 30

Thr Gly Met Lys Ser Asp Ser Asp Gln Lys Lys Ser Glu Asn Gly Val 35 40 45

Thr Leu Ala Pro Glu Asp Thr Leu Pro Phe Leu Lys Cys Tyr Cys Ser 50 60

Gly His Cys Pro Asp Asp Ala Ile Asn Asn Thr Cys Ile Thr Asn Gly 65 70 75 80

His Cys Phe Ala Ile Ile Glu Glu Asp Asp Gln Gly Glu Thr Thr Leu 85 90 95

Ala Ser Gly Cys Met Lys Tyr Glu Gly Ser Asp Phe Gln Cys Lys Asp 100 105 110

Ser Pro Lys Ala Gln Leu Arg Arg Thr Ile Glu Cys Cys Arg Thr Asn 115 120 125

Leu Cys Asn Gln Tyr Leu Gln Pro Thr Leu Pro Pro Val Val Ile Gly
130 135 140

Pro Phe Phe Asp Gly Ser Ile Arg Trp Leu Val Leu Leu Ile Ser Met 145 150 155 160

Ala Val Cys Ile Ile Ala Met Ile Ile Phe Ser Ser Cys Phe Cys Tyr 165 170 175

Lys His Tyr Cys Lys Ser Ile Ser Ser Arg Arg Arg Tyr Asn Arg Asp 180 185 190

Leu Glu Gln Asp Glu Ala Phe Ile Pro Val Gly Glu Ser Leu Lys Asp Leu Ile Asp Gln Ser Gln Ser Ser Gly Ser Gly Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Met Val Arg Gln Val Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly Lys Trp Arg Gly Glu Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala Ser Trp Phe Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Met Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Lys Gly Thr Gly Ser Trp Thr Gln Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Phe Leu Lys Cys Ala Thr Leu Asp Thr Arg Ala Leu Leu Lys Leu Ala Tyr Ser Ala Ala Cys Gly Leu Cys His Leu His Thr Glu Ile Tyr Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arq Asp Leu Lys Ser Lys Asn Ile Leu Ile Lys Lys Asn Gly Ser Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Lys Phe Asn Ser Asp Thr Asn Glu Val Asp Val Pro Leu Asn Thr Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu Asp Glu Ser Leu Asn Lys Asn His Phe Gln Pro Tyr Ile Met Ala Asp Ile Tyr Ser Phe Gly Leu Ile Ile Trp Glu Met Ala Arg Arg Cys Ile Thr Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr Tyr Asn Met Val Pro Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu Val Val Cys Val Lys Arg Leu Arg 

Pro	Ile	Val	Ser	Asn 485	Arg	Trp	Asn	Ser	Asp 490	Glu	Cys	Leu	Arg	Ala 495	Val	
Leu	Lys	Leu	Met 500	Ser	Glu	Cys	Trp	Ala 505	His	Asn	Pro	Ala	Ser 510	Arg	Leu	
Thr	Ala	Leu 515	Arg	Ile	Lys	Lys	Thr 520	Leu	Ala	Lys	Met	Val 525	Glu	Ser	Gln	
Asp	Val 530	Lys	Ile													
(2)	(i) (ii) (ii) (ii) (v)	SEQUANCE (A) (B) (C) (D) MOI i) MOI i) AI i) OI c) K) FI	JENCI LENC TYPI STRA TOPC LECUI YPOTH STRA RAGMI RIGIN A) OH EATUR	E CHE GTH: E: NI ANDEI DLOG' LE T' HETIO SENSI ENT T NAL S RGAN RE: AME/I	SEQ ARACT 2333 101e: ONESS Y: 1: YPE: CAL: E: NO IYPE: SOURC ISM: KEY: ION:	TERIS  bas  ic ac  inear  cDNA  NO  int  CE:  Homo	STICS se pa cid nknov c A	3: airs vn	3							
	(xi)	SEQ	QUENC	CE DI	ESCRI	PTIC	ON: S	SEQ I	D NO	D: 7:	:					
														TC C Val 15		48
				•												
				AGC					CCC (					CT C Ala		96
Leu CTG	Leu TGT	Ala GCG	Gly 20 TGC	AGC Ser ACC	Gly AGC	Gly TGC	Ser	Gly 25 CAG (	CCC ( Pro	Arg AAC 1	Gly TAC A	Val .CG T	Gln 30 GT G		Leu .CA	96 144
Leu CTG Leu GAT	TGT Cys GGG	Ala GCG Ala 35 GCC	Gly 20 TGC Cys TGC	AGC Ser ACC Thr	Gly AGC Ser	Gly TGC Cys	Ser CTC ( Leu 40	Gly 25 CAG ( Gln	CCC (Pro FCC Ala	Arg AAC I Asn	Gly FAC A Tyr	Val CG T Thr 45	Gln 30 GT G Cys	Ala AG A	Leu CA Thr	
CTG Leu GAT Asp	TGT Cys GGG Gly 50	Ala GCG Ala 35 GCC Ala	Gly 20 TGC Cys TGC Cys	AGC Ser ACC Thr ATG Met	Gly AGC Ser GTT Val	Gly TGC Cys TCC Ser 55	Ser CTC ( Leu 40 TTT : Phe	Gly 25 CAG (Gln TTC APhe	CCC ( Pro  GCC A Ala  AAT ( Asn	Arg AAC T Asn CTG G Leu	Gly TAC A Tyr  GAT G Asp 60	Val CG T Thr 45 GG A Gly	Gln 30 GT G Cys TG G Met	Ala AG A Glu AG C	Leu CA Thr AC His	144

						Leu		GTG ( Val				336
					Met			CCG Pro				384
				Phe				CTC I Leu 140	Ile		ATT Ile	432
											CAG Gln 160	480
							Met	TGT ( Cys			Asp	528
						Leu		ACC :		Ser	GC Gly	576
					Arg			GCC ( Ala				624
								GAA ( Glu 220			GC Gly	672
								TTC : Phe			GAA Glu 240	720
							Tyr	CAG <i>I</i> Gln				768
								GAC A				816
								TAT ( Tyr			GG Gly	864
								ACA A Thr 300				912
				•								

											ı Ala			CAC A' His		960
										. Ile				GAC T Asp 335		1008
									Asn					ATA GO		1056
								Asp						ATT GA		1104
							Gly					Met		CCT GA Pro		1152
											Asp			AAA TO Lys		1200
										Trp				CGA AC Arg 415		1248
														TAC GA		1296
														GTA TO Val		1344
														TAT GA		1392
											ı Cys			GCC AA		1440
									_	Lys				TCC CA Ser 495		1488
	AGC Ser									TGCT	TCC C	TCTC	TCCA	.C		1535
ACG	GAGC:	rcc i	rggc <i>i</i>	AGCGI	AG AA	CTAC	CGCAC	AGC	TGCC	:GCG	TTGA	GCGT.	AC G	ATGGA	GGCC	1595

TACCTCTCGT	TTCTGCCCAG	CCCTCTGTGG	CCAGGAGCCC	TGGCCCGCAA	GAGGGACAGA	1655
GCCCGGGAGA	GACTCGCTCA	CTCCCATGTT	GGGTTTGAGA	CAGACACCTT	TTCTATTTAC	1715
CTCCTAATGG	CATGGAGACT	CTGAGAGCGA	ATTGTGTGGA	GAACTCAGTG	CCACACCTCG	1775
AACTGGTTGT	AGTGGGAAGT	CCCGCGAAAC	CCGGTGCATC	TGGCACGTGG	CCAGGAGCCA	1835
TGACAGGGGC	GCTTGGGAGG	GGCCGGAGGA	ACCGAGGTGT	TGCCAGTGCT	AAGCTGCCCT	1895
GAGGGTTTCC	TTCGGGGACC	AGCCCACAGC	ACACCAAGGT	GGCCCGGAAG	AACCAGAAGT	1955
GCAGCCCCTC	TCACAGGCAG	CTCTGAGCCG	CGCTTTCCCC	TCCTCCCTGG	GATGGACGCT	2015
GCCGGGAGAC	TGCCAGTGGA	GACGGAATCT	GCCGCTTTGT	CTGTCCAGCC	GTGTGTGCAT	2075
GTGCCGAGGT	GCGTCCCCCG	TTGTGCCTGG	TTCGTGCCAT	GCCCTTACAC	GTGCGTGTGA	2135
GTGTGTGTGT	GTGTCTGTAG	GTGCGCACTT	ACCTGCTTGA	GCTTTCTGTG	CATGTGCAGG	2195
TCGGGGGTGT	GGTCGTCATG	CTGTCCGTGC	TTGCTGGTGC	CTCTTTTCAG	TAGTGAGCAG	2255
CATCTAGTTT	CCCTGGTGCC	CTTCCCTGGA	GGTCTCTCCC	TCCCCCAGAG	CCCCTCATGC	2315
CACAGTGGTA	CTCTGTGT					2333

- (2) INFORMATION FOR SEQ ID NO: 8:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 505 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Met Ala Glu Ser Ala Gly Ala Ser Ser Phe Phe Pro Leu Val Val Leu
1 5 10 15

Leu Leu Ala Gly Ser Gly Gly Ser Gly Pro Arg Gly Val Gln Ala Leu 20 25 30

Leu Cys Ala Cys Thr Ser Cys Leu Gln Ala Asn Tyr Thr Cys Glu Thr 35 40 45

Asp Gly Ala Cys Met Val Ser Phe Phe Asn Leu Asp Gly Met Glu His 50 55 60

His Val Arg Thr Cys Ile Pro Lys Val Glu Leu Val Pro Ala Gly Lys 65 70 75 80

Pro Phe Tyr Cys Leu Ser Ser Glu Asp Leu Arg Asn Thr His Cys Cys
85 90 95

Tyr Thr Asp Tyr Cys Asn Arg Ile Asp Leu Arg Val Pro Ser Gly His Leu Lys Glu Pro Glu His Pro Ser Met Trp Gly Pro Val Glu Leu Val Gly Ile Ile Ala Gly Pro Val Phe Leu Leu Phe Leu Ile Ile Ile Ile Val Phe Leu Val Ile Asn Tyr His Gln Arg Val Tyr His Asn Arg Gln Arg Leu Asp Met Glu Asp Pro Ser Cys Glu Met Cys Leu Ser Lys Asp Lys Thr Leu Gln Asp Leu Val Tyr Asp Leu Ser Thr Ser Gly Ser Gly Ser Gly Leu Pro Leu Phe Val Gln Arg Thr Val Ala Arg Thr Ile Val Leu Gln Glu Ile Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly Arg Trp Arg Gly Gly Asp Val Ala Val Lys Ile Phe Ser Ser Arg Glu Glu Arg Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Met Leu Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Asn Lys Asp Asn Gly Thr Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Ile Glu Gly Met Ile Lys Leu Ala Leu Ser Ala Ala Ser Gly Leu Ala His Leu His Met Glu Ile Val Gly Thr Gln Gly Lys Pro Gly Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Met Cys Ala Ile Ala Asp Leu Gly Leu Ala Val Arg His Asp Ala Val Thr Asp Thr Ile Asp Ile Ala Pro Asn Gln Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu 

Val 385	Leu	Asp	Glu	Thr	Ile 390	Asn	Met	Lys	His	Phe 395	Asp	Ser	Phe	Lys	Cys 400	
Ala	Asp	Ile	Tyr	Ala 405	Leu	Gly	Leu	Val	Tyr 410	Trp	Glu	Ile	Ala	Arg 415	Arg	
Cys	Asn	Ser	Gly 420	Gly	Val	His	Glu	Glu 425	Tyr	Gln	Leu	Pro	Tyr 430	Tyr	Asp	
Leu	Val	Pro 435	Ser	Asp	Pro	Ser	Ile 440	Glu	Glu	Met	Arg	Lys 445	Val	Val	Cys	
Asp	Gln 450	Lys	Leu	Arg	Pro	Asn 455	Ile	Pro	Asn	Trp	Trp 460	Gln	Ser	Tyr	Glu	
Ala 465	Leu	Arg	Val	Met	Gly 470	Lys	Met	Met	Arg	Glu 475	Cys	Trp	Tyr	Ala	Asn 480	
Gly	Ala	Ala	Arg	Leu 485	Thr	Ala	Leu	Arg	Ile 490	Lys	Lys	Thr	Leu	Ser 495	Gln	
Leu	Ser	Val	Gln 500	Glu	Asp	Val	Lys	Ile 505								
(2) INFORMATION FOR SEQ ID NO: 9:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 2308 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: unknown  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: cDNA  (iii) HYPOTHETICAL: NO  (iii) ANTI-SENSE: NO  (v) FRAGMENT TYPE: internal  (vi) ORIGINAL SOURCE:  (A) ORGANISM: Mouse  (ix) FEATURE:  (A) NAME/KEY: CDS  (B) LOCATION: 771585																
	(xi)	SEÇ	UENC	E DE	ESCRI	PTIC	ON: S	SEQ I	D NO	): 9:						
GGCG	SAGGC	CGA G	GTTT	GCTG	G GG	TGAG	GCAG	CGG	CGCG	GCC (	GGCC	CGGGG	CC GG	GCCA	ACAGG	60
CGGT	GGCG	GC G	GGAC				G GC la Al						g Pr			109
							GCG ( Ala									157

				Cys				CTC T Leu 40		AAA Lys	205
								GTC T Val		ACA Thr	253
							Cys	ATA G Ile		ATT I Ile 75	301
						Cys		CCC T Pro		Lys	349
					Cys			GAC C Asp	Cys	AAT s Asn	397
				Lys				GGC C Gly 120		CCT Pro	445
								TTC G Phe		ATC : Ile	493
							Arg	ACT G Thr		CAC His 155	541
						Leu		CGC C Arg		lle	589
					Ile			ATG A Met	Thr		637
				Leu				ACA A Thr 200			685
								ITT G Phe			733
							Val	AAG A Lys		ICC Ser 235	781

			Ser				Ala				CAA r Glr 250	1 Thr	829
		His				Gly					_	AAT Asn	877
					Leu					: Ası	TAT o	CAT His	925
				Tyr					Thr		ACT (	GTG Val	973
								Ser			GCC ( ı Ala	CAT His 315	1021
			Val				Lys				GCT ( a Ala 330	His	1069
						Val						rgc Cys	1117
					Val					Ala	ACA ( a Thr	GAT Asp	1165
									Lys		TAC A	ATG Met	1213
								Lys			GAA ' e Glu	TCC Ser 395	1261
							Let				GAA A o Glu 410	ı Ile	1309
						His						CCT ı Pro	1357
					Pro					ı Met	AGA A	AAA J Lys	1405

.

GTT GTT TGT GAA CAG AAG TTA AGG CCA AAT ATC CCA AAC AGA TGG CAG Val Val Cys Glu Gln Lys Leu Arg Pro Asn Ile Pro Asn Arg Trp Gln 445 450 455	1453
AGC TGT GAA GCC TTG AGA GTA ATG GCT AAA ATT ATG AGA GAA TGT TGG Ser Cys Glu Ala Leu Arg Val Met Ala Lys Ile Met Arg Glu Cys Trp 460 465 470 475	1501
TAT GCC AAT GGA GCA GCT AGG CTT ACA GCA TTG CGG ATT AAG AAA ACA Tyr Ala Asn Gly Ala Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr 480 485 490	1549
TTA TCG CAA CTC AGT CAA CAG GAA GGC ATC AAA ATG TAATTCTACA Leu Ser Gln Leu Ser Gln Gln Glu Gly Ile Lys Met 495 500	1595
GCTTTGCCTG AACTCTCCTT TTTTCTTCAG ATCTGCTCCT GGGTTTTAAT TTGGGAGGTC	1655
AGTTGTTCTA CCTCACTGAG AGGGAACAGA AGGATATTGC TTCCTTTTGC AGCAGTGTAA	1715
TAAAGTCAAT TAAAAACTTC CCAGGATTTC TTTGGACCCA GGAAACAGCC ATGTGGGTCC	1775
TTTCTGTGCA CTATGAACGC TTCTTTCCCA GGACAGAAAA TGTGTAGTCT ACCTTTATTT	1835
TTTATTAACA AAACTTGTTT TTTAAAAAGA TGATTGCTGG TCTTAACTTT AGGTAACTCT	1895
GCTGTGCTGG AGATCATCTT TAAGGGCAAA GGAGTTGGAT TGCTGAATTA CAATGAAACA	1955
TGTCTTATTA CTAAAGAAAG TGATTTACTC CTGGTTAGTA CATTCTCAGA GGATTCTGAA	2015
CCACTAGAGT TTCCTTGATT CAGACTTTGA ATGTACTGTT CTATAGTTTT TCAGGATCTT	2075
AAAACTAACA CTTATAAAAC TCTTATCTTG AGTCTAAAAA TGACCTCATA TAGTAGTGAG	2135
GAACATAATT CATGCAATTG TATTTTGTAT ACTATTATTG TTCTTTCACT TATTCAGAAC	2195
ATTACATGCC TTCAAAATGG GATTGTACTA TACCAGTAAG TGCCACTTCT GTGTCTTTCT	2255
AATGGAAATG AGTAGAATTG CTGAAAGTCT CTATGTTAAA ACCTATAGTG TTT	2308

- (2) INFORMATION FOR SEQ ID NO: 10:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 503 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Met Glu Ala Ala Val Ala Ala Pro Arg Pro Arg Leu Leu Leu Val 1 5 10 15

Leu Ala Ala Ala Ala Ala Ala Ala Leu Leu Pro Gly Ala Thr Ala Leu Gln Cys Phe Cys His Leu Cys Thr Lys Asp Asn Phe Thr Cys Val Thr Asp Gly Leu Cys Phe Val Ser Val Thr Glu Thr Thr Asp Lys Val Ile His Asn Ser Met Cys Ile Ala Glu Ile Asp Leu Ile Pro Arq 65 80 Asp Arg Pro Phe Val Cys Ala Pro Ser Ser Lys Thr Gly Ser Val Thr Thr Thr Tyr Cys Cys Asn Gln Asp His Cys Asn Lys Ile Glu Leu Pro 105 110 Thr Thr Val Lys Ser Ser Pro Gly Leu Gly Pro Val Glu Leu Ala Ala Val Ile Ala Gly Pro Val Cys Phe Val Cys Ile Ser Leu Met Leu Met 130 135 Val Tyr Ile Cys His Asn Arg Thr Val Ile His His Arg Val Pro Asn 145 150 155 Glu Glu Asp Pro Ser Leu Asp Arg Pro Phe Ile Ser Glu Gly Thr Thr 170 Leu Lys Asp Leu Ile Tyr Asp Met Thr Thr Ser Gly Ser Gly Ser Gly 180 185 190 Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Arg Thr Ile Val Leu Gln 195 200 Glu Ser Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly Lys Trp Arg Gly Glu Glu Val Ala Val Lys Ile Phe Ser Ser Arg Glu Glu Arg 230 235 Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Met Leu Arg His 245 255 Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Asn Lys Asp Asn Gly Thr 260 270 Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Val Glu Gly Met Ile Lys 290 295 300

Leu Ala Leu Ser Thr Ala Ser Gly Leu Ala His Leu His Met Glu Ile 305 310 315 Val Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser 330 Lys Asn Ile Leu Val Lys Lys Asn Gly Thr Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Arg His Asp Ser Ala Thr Asp Thr Ile Asp Ile Ala 355 360 365 Pro Asn His Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu 375 370 380 Asp Asp Ser Ile Asn Met Lys His Phe Glu Ser Phe Lys Arg Ala Asp 390 395 Ile Tyr Ala Met Gly Leu Val Phe Trp Glu Ile Ala Arg Arg Cys Ser 405 410 415 Ile Gly Gly Ile His Glu Asp Tyr Gln Leu Pro Tyr Tyr Asp Leu Val 420 425 Pro Ser Asp Pro Ser Val Glu Glu Met Arg Lys Val Val Cys Glu Gln 435 440 Lys Leu Arg Pro Asn Ile Pro Asn Arg Trp Gln Ser Cys Glu Ala Leu 455 Arg Val Met Ala Lys Ile Met Arg Glu Cys Trp Tyr Ala Asn Gly Ala 465 470 475 Ala Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ser Gln Leu Ser 485 490 495 Gln Gln Glu Gly Ile Lys Met 500

- (2) INFORMATION FOR SEQ ID NO: 11:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 1922 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: unknown
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: cDNA
  - (iii) HYPOTHETICAL: NO
  - (iii) ANTI-SENSE: NO
    - (v) FRAGMENT TYPE: internal
    - (vi) ORIGINAL SOURCE:
      - (A) ORGANISM: Mouse
    - (ix) FEATURE:
      - (A) NAME/KEY: CDS

Pro Ala Cys Gly Leu Ala His Leu His Val Glu Ile Phe Gly Thr Gln 305 310 315 Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Arg Asn Val Leu 330 Val Lys Ser Asn Leu Gln Cys Cys Ile Ala Asp Leu Gly Leu Ala Val 345 Met His Ser Gln Ser Asn Glu Tyr Leu Asp Ile Gly Asn Thr Pro Arg 360 365 355 Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu Asp Glu His Ile 375 Arg Thr Asp Cys Phe Glu Ser Tyr Lys Trp Thr Asp Ile Trp Ala Phe 390 Gly Leu Val Leu Trp Glu Ile Ala Arg Arg Thr Ile Ile Asn Gly Ile 405 410 415 Val Glu Asp Tyr Arg Pro Pro Phe Tyr Asp Met Val Pro Asn Asp Pro 420 430 Ser Phe Glu Asp Met Lys Lys Val Val Cys Val Asp Gln Gln Thr Pro Thr Ile Pro Asn Arg Leu Ala Ala Asp Pro Val Leu Ser Gly Leu Ala 455 Gln Met Met Arg Glu Cys Trp Tyr Pro Asn Pro Ser Ala Arg Leu Thr 470 465 475 480 Ala Leu Arg Ile Lys Lys Thr Leu Gln Lys Leu Ser His Asn Pro Glu 485 490 495 Lys Pro Lys Val Ile His 500

- (2) INFORMATION FOR SEQ ID NO: 13:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 2070 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: unknown
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: cDNA
  - (iii) HYPOTHETICAL: NO
  - (iii) ANTI-SENSE: NO
    - (v) FRAGMENT TYPE: internal
    - (vi) ORIGINAL SOURCE:
      - (A) ORGANISM: Mouse
  - (ix) FEATURE:
    - (A) NAME/KEY: CDS

### (B) LOCATION: 241..1746

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

GAG.	AGCA	CAG (	CCCT:	rccc2	AG TO	CCCC	GGAG	CCGC	CCGCG	CCA	CGCG	CGCA'	TG A	TCAA	GACCT.	60
TTT	CCCC	GGC (	CCCA	CAGG	GC CI	CTG	GACG:	r gac	SACCO	CGG	CCGC	CTCC	GC A	AGGA	GAGGC	120
GGG	GGTC	GAG 7	rcgc	CCTG	IC CA	AAG	GCCT	CAAT	CTAA	ACA	ATCT	TGAT:	rc c	TGTT	GCCGG	180
CTG	GCGG	GAC (	CCTGA	AATG	GC AG	GAAA	ATCTO	C ACC	CACAT	CTC	TTCT	CCTA	rc t	CCAA	GGACC	240
										Let	ATG ( Met				Ala	288
									Lys		TCC A			ı Val	AAC Asn	336
								Lys			TTC :				TCA Ser	384
											AGG ( Arg 60					432
											TGC :					480
											TCC : Ser				His	528
									Gln		CCT : Pro			· Glu		576
											CCT (					624
											TGG ( Trp 140					672
											CTG ( Leu					720

CTC ATC CTG AAG GCA TCT GAA CAG GCA GAC AGC ATG TTG GGG GAC TTC Leu Ile Leu Lys Ala Ser Glu Gln Ala Asp Ser Met Leu Gly Asp Phe 165 170 175	768
CTG GAC AGC GAC TGT ACC ACG GGC AGC GGC TCG GGG CTC CCC TTC TTG Leu Asp Ser Asp Cys Thr Thr Gly Ser Gly Ser Gly Leu Pro Phe Leu 180 185 190	816
GTG CAG AGG ACG GTA GCT CGG CAG GTT GCG CTG GTA GAG TGT GTG GGA Val Gln Arg Thr Val Ala Arg Gln Val Ala Leu Val Glu Cys Val Gly 195 200 205	864
AAG GGC CGA TAT GGC GAG GTG TGG CGC GGT TCG TGG CAT GGC GAA AGC Lys Gly Arg Tyr Gly Glu Val Trp Arg Gly Ser Trp His Gly Glu Ser 210 215 220	912
GTG GCG GTC AAG ATT TTC TCC TCA CGA GAT GAG CAG TCC TGG TTC CGG Val Ala Val Lys Ile Phe Ser Ser Arg Asp Glu Gln Ser Trp Phe Arg 225 230 235 240	960
GAG ACG GAG ATC TAC AAC ACA GTT CTG CTT AGA CAC GAC AAC ATC CTA Glu Thr Glu Ile Tyr Asn Thr Val Leu Leu Arg His Asp Asn Ile Leu 245 250 255	1008
GGC TTC ATC GCC TCC GAC ATG ACT TCG CGG AAC TCG AGC ACG CAG CTG Gly Phe Ile Ala Ser Asp Met Thr Ser Arg Asn Ser Ser Thr Gln Leu 260 265 270	1056
TGG CTC ATC ACC CAC TAC CAT GAA CAC GGC TCC CTC TAT GAC TTT CTG Trp Leu Ile Thr His Tyr His Glu His Gly Ser Leu Tyr Asp Phe Leu 275 280 285	1104
CAG AGG CAG ACG CTG GAG CCC CAG TTG GCC CTG AGG CTA GCT GTG TCC Gln Arg Gln Thr Leu Glu Pro Gln Leu Ala Leu Arg Leu Ala Val Ser 290 295 300	1152
CCG GCC TGC GGC CTG GCG CAC CTA CAT GTG GAG ATC TTT GGC ACT CAA Pro Ala Cys Gly Leu Ala His Leu His Val Glu Ile Phe Gly Thr Gln 305 310 315 320	1200
GGC AAA CCA GCC ATT GCC CAT CGT GAC CTC AAG AGT CGC AAT GTG CTG Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Arg Asn Val Leu 325 330 335	1248
GTC AAG AGT AAC TTG CAG TGT TGC ATT GCA GAC CTG GGA CTG GCT GTG Val Lys Ser Asn Leu Gln Cys Cys Ile Ala Asp Leu Gly Leu Ala Val 340 345 350	1296
ATG CAC TCA CAA AGC AAC GAG TAC CTG GAT ATC GGC AAC ACA CCC CGA Met His Ser Gln Ser Asn Glu Tyr Leu Asp Ile Gly Asn Thr Pro Arg 355 360 365	1344

							Ala							CAC A		1392
											Asp			GCC T		1440
														GGC A Gly 415		1488
									Asp					GAC C Asp		1536
								Val					Gln	ACA C		1584
	_													CTG G Leu		1632
											Ser			CTC A		1680
														CCA G Pro 495		1728
				ATT Ile		TAGO	CCA	GGG C	CACC	'AGG(	CT TC	CTCT	'GCC'I			1776
AAA	GTGT	GTG C	CTGGC	GGAA	BA AG	ACA1	TAGC	C TGT	CTGG	GTA	GAGG	GAGT	GA A	GAGAG	TGTG	1836
CAC	GCTG	CCC I	GTGT	rgtgo	CC TG	CTC#	AGCT	r gct	CCCA	GCC	CATC	CAGC	CA A	AAATA	CAGC	1896
TGAC	GCTG/	AAA :	ГТСА	AAAA	AA AA	AAAA	A									1922
(0)	T1170				250											

- (2) INFORMATION FOR SEQ ID NO: 12:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 502 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Met Thr Leu Gly Ser Phe Arg Arg Gly Leu Leu Met Leu Ser Val Ala 1 5 10 15

Leu Gly Leu Thr Gln Gly Arg Leu Ala Lys Pro Ser Lys Leu Val Asn Cys Thr Cys Glu Ser Pro His Cys Lys Arg Pro Phe Cys Gln Gly Ser Trp Cys Thr Val Val Leu Val Arg Glu Gln Gly Arg His Pro Gln Val Tyr Arq Gly Cys Gly Ser Leu Asn Gln Glu Leu Cys Leu Gly Arg Pro Thr Glu Phe Leu Asn His His Cys Cys Tyr Arg Ser Phe Cys Asn His Asn Val Ser Leu Met Leu Glu Ala Thr Gln Thr Pro Ser Glu Glu Pro Glu Val Asp Ala His Leu Pro Leu Ile Leu Gly Pro Val Leu Ala Leu Pro Val Leu Val Ala Leu Gly Ala Leu Gly Leu Trp Arg Val Arg Arg Arg Gln Glu Lys Gln Arg Asp Leu His Ser Asp Leu Gly Glu Ser Ser Leu Ile Leu Lys Ala Ser Glu Gln Ala Asp Ser Met Leu Gly Asp Phe Leu Asp Ser Asp Cys Thr Thr Gly Ser Gly Ser Gly Leu Pro Phe Leu Val Gln Arg Thr Val Ala Arg Gln Val Ala Leu Val Glu Cys Val Gly Lys Gly Arg Tyr Gly Glu Val Trp Arg Gly Ser Trp His Gly Glu Ser Val Ala Val Lys Ile Phe Ser Ser Arg Asp Glu Gln Ser Trp Phe Arg Glu Thr Glu Ile Tyr Asn Thr Val Leu Leu Arg His Asp Asn Ile Leu Gly Phe Ile Ala Ser Asp Met Thr Ser Arg Asn Ser Ser Thr Gln Leu Trp Leu Ile Thr His Tyr His Glu His Gly Ser Leu Tyr Asp Phe Leu Gln Arg Gln Thr Leu Glu Pro Gln Leu Ala Leu Arg Leu Ala Val Ser 

### (B) LOCATION: 217..1812

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

ATT	CATG	AGA T	rgga/	AGCA	ra go	TCA	AAGCI	r GTI	CGGA	AGAA	ATTG	GAAC'	TA C	AGTTI	TATC	60
TAG	CCAC	ATC I	rctg/	AGAA'	T CI	GAAC	AAAG	G CAG	CAGG	STGA	AAGT	CATT	GC C	AAGTG	SATTT	120
TGT	rctg:	raa (	GAA(	3CCT(	CC CI	CATI	CACI	TAC	ACCA	GTG	AGAC.	AGCA	GG A	CCAGI	CATT	180
CAA	AGGG(	CCG :	rgta(	CAGG	AC GO	CGTG(	GCAA'	r cao	GACA					TAC A Tyr 5		234
									Phe					GTT C Val		282
														CA G Ser		330
														GAG G Glu		378
											His			GAT G Asp		426
										His				ATT A Ile 85		474
														ATG A Met		522
								Lys						CAG C Gln		570
														TAT T Tyr		618
											Phe			GGC A Gly		666
										Ala				TT G Val 165		714

				Tyr				AAG AGT Lys Ser	762
								GAA GCA Glu Ala	810
								CCC CAA Ser Gln	858
						Val		ACT ATT Thr Ile 230	906
					Gly			TAT GGA Tyr Gly 245	954
				Glu				AAA GTG Lys Val	1002
								ATC TAC Ile Tyr	1050
								GCT GCA Ala Ala	1098
						Tyr		ACT GAT Thr Asp 310	1146
								ACA CTA Thr Leu 325	1194
								GGT CTG Gly Leu	1242
								GCA ATT Ala Ile	1290
			Lys				Lys	AAT GGA Asn Gly	1338

											AAA ' L Lys					1386
										Arç	GTG ( g.Val				Arg	1434
									Ser		AAT A			ı His		1482
								Tyr			GGT '					1530
Glu											GTG ( Val 450					1578
											TCC : Ser					1626
										Pro	ATC (					1674
											AAG ( Lys			Ser		1722
								Arg			GCT :					1770
Lys											GTA . Val 530			:		1812
TGAC	LTAA!	TAA A	CAAT	TTTC	GA GG	GAGA	LTTA	AGA	CTGC	'AAG	AACT'	rctt(	CA C	CCAA	GAAT	1872
GGGT	'GGGA	ATT A	GCAI	GGAZ	AT AG	GATG	TTGA	A CTT	GGTT	TCC	AGAC'	TCCT:	rc c'	TCTAC	CATCT	1932
TCAC	'AGGC	CTG C	TAAC	CAGTA	AA AC	CTTA	CCGI	ACT	CTAC	AGA	ATAC	AAGA:	FT G	GAAC'	TTGGA	1992
ACTT	CAAA	ACA I	GTCA	ATTCI	AT T	TATA	TGAC	AGC	TTTG	TTT	TAAT	GTGG	GG T	TTTTT	TTGTT	2052
TGCT	TTTT	TTT C	TTT	rgtt												2070

- (2) INFORMATION FOR SEQ ID NO: 14:
   (i) SEQUENCE CHARACTERISTICS:
   (A) LENGTH: 532 amino acids

- (B) TYPE: amino acid
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

Met Thr Gln Leu Tyr Thr Tyr Ile Arg Leu Leu Gly Ala Cys Leu Phe
1 5 10 15

Ile Ile Ser His Val Gln Gly Gln Asn Leu Asp Ser Met Leu His Gly
20 25 30

Thr Gly Met Lys Ser Asp Leu Asp Gln Lys Lys Pro Glu Asn Gly Val 35 40 45

Thr Leu Ala Pro Glu Asp Thr Leu Pro Phe Leu Lys Cys Tyr Cys Ser 50 55 60

Gly His Cys Pro Asp Asp Ala Ile Asn Asn Thr Cys Ile Thr Asn Gly 65 70 75 80

His Cys Phe Ala Ile Ile Glu Glu Asp Asp Gln Gly Glu Thr Thr Leu 85 90 95

Thr Ser Gly Cys Met Lys Tyr Glu Gly Ser Asp Phe Gln Cys Lys Asp 100 105 110

Ser Pro Lys Ala Gln Leu Arg Arg Thr Ile Glu Cys Cys Arg Thr Asn 115 120 125

Leu Cys Asn Gln Tyr Leu Gln Pro Thr Leu Pro Pro Val Val Ile Gly
130 135 140

Pro Phe Phe Asp Gly Ser Ile Arg Trp Leu Val Val Leu Ile Ser Met 145 150 155 160

Ala Val Cys Ile Val Ala Met Ile Ile Phe Ser Ser Cys Phe Cys Tyr 165 170 175

Lys His Tyr Cys Lys Ser Ile Ser Ser Arg Gly Arg Tyr Asn Arg Asp 180 185 190

Leu Glu Gln Asp Glu Ala Phe Ile Pro Val Gly Glu Ser Leu Lys Asp 195 200 205

Leu Ile Asp Gln Ser Gln Ser Ser Gly Ser Gly Leu Pro Leu 210 215 220

Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Met Val Arg Gln Val 225 230 235 240

Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly Lys Trp Arg Gly Glu 245 250 255

Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala Ser Trp Phe Arq Glu Thr Glu Ile Tyr Gln Thr Val Leu Met Arq His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Lys Gly Thr Gly Ser Trp Thr Gln Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Phe Leu Lys Cys Ala Thr Leu Asp Thr Arg Ala Leu Leu Lys Leu Ala Tyr Ser Ala Ala Cys Gly Leu Cys His Leu His Thr Glu Ile Tyr Gly Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Ile Lys Lys Asn Gly Ser Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Lys Phe Asn Ser Asp Thr Asn Glu Val Asp Ile Pro Leu Asn Thr Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu Asp Glu Ser Leu Asn Lys Asn His Phe Gln Pro Tyr Ile Met Ala Asp Ile Tyr Ser Phe Gly Leu Ile Ile Trp Glu Met Ala Arg Arg Cys Ile Thr Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr Tyr Asn Met Val Pro Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu Val Val Cys Val Lys Arg Leu Arg Pro Ile Val Ser Asn Arg Trp Asn Ser Asp Glu Cys Leu Arg Ala Val Leu Lys Leu Met Ser Glu Cys Trp Ala His Asn Pro Ala Ser Arg Leu Thr Ala Leu Arg Ile Lys Lys Thr Leu Ala Lys Met Val Glu Ser Gln Asp Val Lys Ile 

(2) INFORMATION FOR SEQ ID NO: 15:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 2160 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: unknown  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: cDNA  (iii) HYPOTHETICAL: NO  (iii) ANTI-SENSE: NO  (v) FRAGMENT TYPE: internal  (vi) ORIGINAL SOURCE:  (A) ORGANISM: Mouse  (ix) FEATURE:  (A) NAME/KEY: CDS  (B) LOCATION: 101524	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:	
CGCGGTTAC ATG GCG GAG TCG GCC GGA GCC TCC TCC TTC TTC CCC CTT  Met Ala Glu Ser Ala Gly Ala Ser Ser Phe Phe Pro Leu  1 5 10	48
GTT GTC CTC CTG CTC GCC GGC AGC GGC GGG TCC GGG CCC CGG GGG ATC Val Val Leu Leu Ala Gly Ser Gly Gly Ser Gly Pro Arg Gly Ile 15 20 25	96
CAG GCT CTG CTG TGT GCG TGC ACC AGC TGC CTA CAG ACC AAC TAC ACC Gln Ala Leu Leu Cys Ala Cys Thr Ser Cys Leu Gln Thr Asn Tyr Thr 30 35 40 45	144
TGT GAG ACA GAT GGG GCT TGC ATG GTC TCC ATC TTT AAC CTG GAT GGC Cys Glu Thr Asp Gly Ala Cys Met Val Ser Ile Phe Asn Leu Asp Gly 50 55 60	192
GTG GAG CAC CAT GTA CGT ACC TGC ATC CCC AAG GTG GAG CTG GTT CCT Val Glu His His Val Arg Thr Cys Ile Pro Lys Val Glu Leu Val Pro 65 70 75	240
GCT GGA AAG CCC TTC TAC TGC CTG AGT TCA GAG GAT CTG CGC AAC ACA Ala Gly Lys Pro Phe Tyr Cys Leu Ser Ser Glu Asp Leu Arg Asn Thr 80 85 90	288
CAC TGC TGC TAT ATT GAC TTC TGC AAC AAG ATT GAC CTC AGG GTC CCC His Cys Cys Tyr Ile Asp Phe Cys Asn Lys Ile Asp Leu Arg Val Pro 95 100 105	336
AGC GGA CAC CTC AAG GAG CCT GCG CAC CCC TCC ATG TGG GGC CCT GTG Ser Gly His Leu Lys Glu Pro Ala His Pro Ser Met Trp Gly Pro Val 110 115 120 125	384
GAG CTG GTC GGC ATC ATC GCC GGC CCC GTC TTC CTC CTC TTC CTT ATC Glu Leu Val Gly Ile Ile Ala Gly Pro Val Phe Leu Leu Phe Leu Ile 130 135 140	432

		Phe				Tyr		CAG s Gln			. Tyr	CAT His	480
					Asp			TGC Cys		Met		CTC Leu	528
				Asp				GAC Asp 185	Leu			TCA Ser	576
								_				CGA Arg 205	624
							Gly	CGG Arg				Val	672
						Val		GTG . a Val			Phe	ICT Ser	720
					Arg			GAG . a Glu				ACC Thr	768
								ATT e E Ile 265	Ala			AAT Asn	816
												CAC His 285	864
							Arg	TAC . Tyr				Ile	912
								AGT ( Ser			ı Ala		960
					Gln			CCG (					1008
								AAA . S Lys 345					1056

						Leu					s Asp			ACT (	GAC Asp 365	1104
										Gly				TAC 2 g Tyr 380	Met	1152
									Asn					_	TCC Ser	1200
								Leu					Tr	GAG A	ATT 1 Ile	1248
							Gly					Tyr		CTG ( n Lei	CCG 1 Pro	1296
											e Glu			CGA A	AAG J Lys 445	1344
										. Val				TGG ( p Trp 460	Gln	1392
									Lys					_	TGG Trp	1440
								Thr					Ly		ACT Thr	1488
											ATT Ile 505	<b>!</b>	CTGT	rtc		1534
CTC	rgcc1	rac <i>a</i>	CAA	AGAA	CC TG	GGCA	\GTG <i>I</i>	A GGA	TGAC	TGC	AGCC	ACCG	TG C	AAGC	GTCGT	1594
GGA	GCC	rat c	CTCI	TGT	T CI	GCCC	CGGCC	CTC	TGGC	'AGA	GCCC	TGGC	CT G	CAAG	AGGGA	1654
CAGA	AGCCI	rgg e	AGAC	CGCGC	CG CA	CTCC	CCGTT	r GGG	TTTG	AGA	CAGA	CACT	TT T	TATA	TTTAC	1714
CTC	CTGAT	rgg c	CATGO	GAGA	CC TG	SAGCA	AATO	CATG	TAGT	CAC	TCAA	TGCC	AC A	ACTC	AAACT	1774
GCT.	rcag:	rgg d	BAAGT	CACAC	GA GA	CCCA	AGTGC	CATI	GCGT	GTG	CAGG	AGCG	TG A	GGTG	CTGGG	1834
CTC	GCCAC	GGA G	CGGC	cccc	CA TA	CCTI	GTGC	G TCC	ACTG	GGC	TGCA	GGTT	TT C	CTCC	AGGGA	1894
CCA	STCA	ACT C	GCAT	CAAC	GA TA	TTGA	AGAGO	3 AAC	CGGA	AGT	TTCT	CCCT	CC I	TCCC	GTAGC	1954

AGTCCTGAGC CACACCATCC TTCTCATGGA CATCCGGAGG ACTGCCCCTA GAGACACAC 2014
CTGCTGCCTG TCTGTCCAGC CAAGTGCGCA TGTGCCGAGG TGTGTCCCAC ATTGTGCCTG 2074
GTCTGTGCCA CGCCCGTGTG TGTGTGTGT TGTGTGAGTG AGTGTGTGT TGTACACTTA 2134
ACCTGCTTGA GCTTCTGTGC ATGTGT 2160

- (2) INFORMATION FOR SEQ ID NO: 16:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 505 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

Met Ala Glu Ser Ala Gly Ala Ser Ser Phe Phe Pro Leu Val Val Leu
1 5 10 15

Leu Leu Ala Gly Ser Gly Gly Ser Gly Pro Arg Gly Ile Gln Ala Leu 20 25 30

Leu Cys Ala Cys Thr Ser Cys Leu Gln Thr Asn Tyr Thr Cys Glu Thr 35 40 45

Asp Gly Ala Cys Met Val Ser Ile Phe Asn Leu Asp Gly Val Glu His 50 55 60

His Val Arg Thr Cys Ile Pro Lys Val Glu Leu Val Pro Ala Gly Lys
65 70 75 80

Pro Phe Tyr Cys Leu Ser Ser Glu Asp Leu Arg Asn Thr His Cys Cys
85 90 95

Tyr Ile Asp Phe Cys Asn Lys Ile Asp Leu Arg Val Pro Ser Gly His 100 105 110

Leu Lys Glu Pro Ala His Pro Ser Met Trp Gly Pro Val Glu Leu Val 115 120 125

Gly Ile Ile Ala Gly Pro Val Phe Leu Leu Phe Leu Ile Ile Ile Ile 130 135 140

Val Phe Leu Val Ile Asn Tyr His Gln Arg Val Tyr His Asn Arg Gln 145 150 155 160

Arg Leu Asp Met Glu Asp Pro Ser Cys Glu Met Cys Leu Ser Lys Asp 165 170 175

Lys Thr Leu Gln Asp Leu Val Tyr Asp Leu Ser Thr Ser Gly Ser Gly 180 185 190

Ser Gly Leu Pro Leu Phe Val Gln Arg Thr Val Ala Arg Thr Ile Val Leu Gln Glu Ile Ile Gly Lys Gly Arg Phe Gly Glu Val Trp Arg Gly Arg Trp Arg Gly Gly Asp Val Ala Val Lys Ile Phe Ser Ser Arg Glu Glu Arg Ser Trp Phe Arg Glu Ala Glu Ile Tyr Gln Thr Val Met Leu Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Asn Lys Asp Asn Gly Thr Trp Thr Gln Leu Trp Leu Val Ser Asp Tyr His Glu His Gly Ser Leu Phe Asp Tyr Leu Asn Arg Tyr Thr Val Thr Ile Glu Gly Met Ile Lys Leu Ala Leu Ser Ala Ala Ser Gly Leu Ala His Leu His Met Glu Ile Val Gly Thr Gln Gly Lys Pro Gly Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Met Cys Ala Ile Ala Asp Leu Gly Leu Ala Val Arg His Asp Ala Val Thr Asp Thr Ile Asp Ile Ala Pro Asn Gln Arg Val Gly Thr Lys Arg Tyr Met Ala Pro Glu Val Leu Asp Glu Thr Ile Asn Met Lys His Phe Asp Ser Phe Lys Cys Ala Asp Ile Tyr Ala Leu Gly Leu Val Tyr Trp Glu Ile Ala Arg Arg Cys Asn Ser Gly Gly Val His Glu Asp Tyr Gln Leu Pro Tyr Tyr Asp Leu Val Pro Ser Asp Pro Ser Ile Glu Glu Met Arg Lys Val Val Cys Asp Gln Lys Leu Arg Pro Asn Val Pro Asn Trp Trp Gln Ser Tyr Glu Ala Leu Arg Val Met Gly Lys Met Met Arg Glu Cys Trp Tyr Ala Asn 

Gly	Ala	Ala	Arg	Leu 485	Thr	Ala	Leu	Arg	Ile 490	Lys	Lys	Thr	Leu	Ser 495	Gln	
Leu	Ser	Val	Gln 500	Glu	Asp	Val	Lys	Ile 505								
(2)	(i) (ii) (ii) (ii) (v)	SEQUANCE (A) (B) (C) (D) (MOI L) HY L) FI L) (I) (I) (I) (I) (I)	JENCI LENC TYPI STRA TOPC LECUI YPOTI YPOTI RAGMI RIGII A) OI EATUI A) NA	E CHE GTH: E: NI ANDER DLOG' HETIO SENSI ENT S RGAN RE: AME/I DCAT	SEQ ARACT 1952 ucle: DNESS Y: ur YPE: CAL: E: NG TYPE: SOURG ISM: KEY: ION:	TERIS  Description  CDNA  NO  CDS:  Mous  CDS  187	STICS SE pa cid nknow wn A cerna	S: airs wn al	ID NO	D: 1	7:					
AAG	CGGCC	GGC A	GAAC	TTGO	CC GG	CGTG	GTGC	TCG	TAGT	GAG (	GGCG(	CGGA	GG AC	CCCGC	GACC	60
TGG	GAAGO	CGG C	CGGCG	GGTŢ	TA AC	TTCG	GCTG	AAT	CACA	ACC A	ATTTC	GCG	CT GA	GCTA	ATGAC	120
AAG	AGAGO	CAA A	CAAA	AAGI	T AA	AGGA	GCAA	CCC	GGCC	ATA A	AGTG	AAGA	GA GA	AGTI	TTATT	180
GATA					GA A Arg S											228
					AGT Ser 20											276
					CAC His											324
		-			TAC Tyr											372
					ACC Thr											420
					ACT Thr											468

TGC TGC ACA GAA AGG AAT GAG TGT AAT AAA GAC CTC CAC CCC ACT CTC Cys Cys Thr Glu Arg Asn Glu Cys Asn Lys Asp Leu His Pro Thr L 95 100 105	
CCT CCT CTC AAG GAC AGA GAT TTT GTT GAT GGG CCC ATA CAC CAC AAG Pro Pro Leu Lys Asp Arg Asp Phe Val Asp Gly Pro Ile His His L 115 120 125	
GCC TTG CTT ATC TCT GTG ACT GTC TGT AGT TTA CTC TTG GTC CTC ATT Ala Leu Leu Ile Ser Val Thr Val Cys Ser Leu Leu Leu Val Leu I 130 135 140	
ATT TTA TTC TGT TAC TTC AGG TAT AAA AGA CAA GAA GCC CGA CCT CGC Ile Leu Phe Cys Tyr Phe Arg Tyr Lys Arg Gln Glu Ala Arg Pro A 145 150 155	
TAC AGC ATT GGG CTG GAG CAG GAC GAG ACA TAC ATT CCT CCT GGA GAC Tyr Ser Ile Gly Leu Glu Gln Asp Glu Thr Tyr Ile Pro Pro Gly G 160 165 170	
TCC CTG AGA GAC TTG ATC GAG CAG TCT CAG AGC TCG GGA AGT GGA TCA Ser Leu Arg Asp Leu Ile Glu Gln Ser Gln Ser Ser Gly Ser Gly S 175 180 185 1	
GGC CTC CCT CTG CTG GTC CAA AGG ACA ATA GCT AAG CAA ATT CAG ATG Gly Leu Pro Leu Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln M 195 200 205	
GTG AAG CAG ATT GGA AAA GGC CGC TAT GGC GAG GTG TGG ATG GGA AAC Val Lys Gln Ile Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly L 210 215 220	
TGG CGT GGA GAA AAG GTG GCT GTG AAA GTG TTC TTC ACC ACG GAG GAA Trp Arg Gly Glu Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu G 225 230 235	
GCC AGC TGG TTC CGA GAG ACT GAG ATA TAT CAG ACG GTC CTG ATG CGC Ala Ser Trp Phe Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Met A 240 245 250	
CAT GAG AAT ATT CTG GGG TTC ATT GCT GCA GAT ATC AAA GGG ACT GGG His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Lys Gly Thr G 255 260 265 2	
TCC TGG ACT CAG TTG TAC CTC ATC ACA GAC TAT CAT GAA AAC GGC TCC Ser Trp Thr Gln Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly S 275 280 285	
CTT TAT GAC TAT CTG AAA TCC ACC ACC TTA GAC GCA AAG TCC ATG CTC Leu Tyr Asp Tyr Leu Lys Ser Thr Thr Leu Asp Ala Lys Ser Met L 290 295 300	
AAG CTA GCC TAC TCC TCT GTC AGC GGC CTA TGC CAT TTA CAC ACG GAALys Leu Ala Tyr Ser Ser Val Ser Gly Leu Cys His Leu His Thr G	

305	310	315

												arg			AAA 1 Lys	1188
AGT A Ser 335											Cys				GAC Asp 350	1236
CTG (					Lys					Thr					lle	1284
CCA (									Arg					Glu	GTG ı Val	1332
CTG ( Leu :								His					Ile		GCT : Ala	1380
_												Ala			TGT J Cys	1428
GTT TVal 4											Pro				CTG Leu 430	1476
GTG (Val										Arg					Met	1524
AAG A									Arg					Glu	TGT ı Cys	1572
CTC I													Glr		CCT n Pro	1620
GCC :												Leu				1668
TCA ( Ser ( 495									GTCA(	GA T	ACTT	GTGG	A CA	GAGC	AAGA	1722
ATTT	CACA	AGA A	.GCA1	CGT	ra go	CCAA	.GCCI	TGA	ACGT	'TAG	CCTA	CTGC	CC A	GTGA	GTTCA	1782
GACT'	TTCC	TG G	SAAGA	GAGG	CA CG	GTGG	GCAG	ACA	.CAGA	GGA	ACCC	AGAA	AC A	CGGA	TTCAT	1842

## CATGGCTTTC TGAGGAGGAG AAACTGTTTG GGTAACTTGT TCAAGATATG ATGCATGTTG 1902 CTTTCTAAGA AAGCCCTGTA TTTTGAATTA CCATTTTTT ATAAAAAAAA 1952

- (2) INFORMATION FOR SEQ ID NO: 18:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 502 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:
- Met Leu Leu Arg Ser Ser Gly Lys Leu Asn Val Gly Thr Lys Lys Glu
  1 5 10 15
- Asp Gly Glu Ser Thr Ala Pro Thr Pro Arg Pro Lys Ile Leu Arg Cys 20 25 30
- Lys Cys His His Cys Pro Glu Asp Ser Val Asn Asn Ile Cys Ser 35 40 45
- Thr Asp Gly Tyr Cys Phe Thr Met Ile Glu Glu Asp Asp Ser Gly Met 50 55 60
- Pro Val Val Thr Ser Gly Cys Leu Gly Leu Glu Gly Ser Asp Phe Gln 65 70 75 80
- Cys Arg Asp Thr Pro Ile Pro His Gln Arg Arg Ser Ile Glu Cys Cys
  85 90 95
- Thr Glu Arg Asn Glu Cys Asn Lys Asp Leu His Pro Thr Leu Pro Pro 100 105 110
- Leu Lys Asp Arg Asp Phe Val Asp Gly Pro Ile His His Lys Ala Leu 115 120 125
- Leu Ile Ser Val Thr Val Cys Ser Leu Leu Leu Val Leu Ile Ile Leu 130 135 140
- Phe Cys Tyr Phe Arg Tyr Lys Arg Gln Glu Ala Arg Pro Arg Tyr Ser 145 150 155 160
- Ile Gly Leu Glu Gln Asp Glu Thr Tyr Ile Pro Pro Gly Glu Ser Leu 165 170 175
- Arg Asp Leu Ile Glu Gln Ser Gln Ser Ser Gly Ser Gly Leu 180 185 190
- Pro Leu Val Gln Arg Thr Ile Ala Lys Gln Ile Gln Met Val Lys 195 200 205

Gln Ile Gly Lys Gly Arg Tyr Gly Glu Val Trp Met Gly Lys Trp Arg Gly Glu Lys Val Ala Val Lys Val Phe Phe Thr Thr Glu Glu Ala Ser Trp Phe Arg Glu Thr Glu Ile Tyr Gln Thr Val Leu Met Arg His Glu Asn Ile Leu Gly Phe Ile Ala Ala Asp Ile Lys Gly Thr Gly Ser Trp Thr Gln Leu Tyr Leu Ile Thr Asp Tyr His Glu Asn Gly Ser Leu Tyr Asp Tyr Leu Lys Ser Thr Thr Leu Asp Ala Lys Ser Met Leu Lys Leu Ala Tyr Ser Ser Val Ser Gly Leu Cys His Leu His Thr Glu Ile Phe Ser Thr Gln Gly Lys Pro Ala Ile Ala His Arg Asp Leu Lys Ser Lys Asn Ile Leu Val Lys Lys Asn Gly Thr Cys Cys Ile Ala Asp Leu Gly Leu Ala Val Lys Phe Ile Ser Asp Thr Asn Glu Val Asp Ile Pro Pro Asn Thr Arg Val Gly Thr Lys Arg Tyr Met Pro Pro Glu Val Leu Asp Glu Ser Leu Asn Arg Asn His Phe Gln Ser Tyr Ile Met Ala Asp Met Tyr Ser Phe Gly Leu Ile Leu Trp Glu Ile Ala Arg Arg Cys Val Ser Gly Gly Ile Val Glu Glu Tyr Gln Leu Pro Tyr His Asp Leu Val Pro Ser Asp Pro Ser Tyr Glu Asp Met Arg Glu Ile Val Cys Met Lys Lys Leu Arg Pro Ser Phe Pro Asn Arg Trp Ser Ser Asp Glu Cys Leu Arg Gln Met Gly Lys Leu Met Thr Glu Cys Trp Ala Gln Asn Pro Ala Ser Arg Leu Thr Ala Leu Arg Val Lys Lys Thr Leu Ala Lys Met Ser Glu 

## Ser Gln Asp Ile Lys Leu 500

(2)	<pre>INFORMATION FOR SEQ ID NO: 19: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 28 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:	
GCGC	GATCCTG TTGTGAAGGN AATATGTG	28
(2)	<pre>INFORMATION FOR SEQ ID NO: 20: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 24 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO     (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:</pre>	
GCGA	ATCCGTC GCAGTCAAAA TTTT	24
(2)	<pre>INFORMATION FOR SEQ ID NO: 21: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 26 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO     (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:</pre>	
GCGC	GATCCGC GATATATTAA AAGCAA	26
(2)	<pre>INFORMATION FOR SEQ ID NO: 22: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 20 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear</pre>	

	(iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: YES (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:	
CGG	AATTCTG GTGCCATATA	20
(2)	<pre>INFORMATION FOR SEQ ID NO: 23: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 37 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:	
ATT	CAAGGGC ACATCAACTT CATTTGTGTC ACTGTTG	37
(2)	<pre>INFORMATION FOR SEQ ID NO: 24: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 26 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO  (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:</pre>	
GCG	GATCCAC CATGGCGGAG TCGGCC	26
(2)	<pre>INFORMATION FOR SEQ ID NO: 25: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 20 base pairs     (B) TYPE: nucleic acid     (C) STRANDEDNESS: single     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iii) ANTI-SENSE: NO</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:	
AAC	ACCGGGC CGGCGATGAT	20

(2)	<pre>INFORMATION FOR SEQ ID NO: 26: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 6 amino acids     (B) TYPE: amino acid     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide     (v) FRAGMENT TYPE: internal</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:	
	Gly Xaa Gly Xaa Xaa Gly 1 5	
(2)	<pre>INFORMATION FOR SEQ ID NO: 27: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 6 amino acids     (B) TYPE: amino acid     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:	
	Asp Phe Lys Ser Arg Asn 1 5	
(2)	<pre>INFORMATION FOR SEQ ID NO: 28: (i) SEQUENCE CHARACTERISTICS:    (A) LENGTH: 6 amino acids    (B) TYPE: amino acid    (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:	
	Asp Leu Lys Ser Lys Asn 1 5	
(2)	<pre>INFORMATION FOR SEQ ID NO: 29: (i) SEQUENCE CHARACTERISTICS:     (A) LENGTH: 6 amino acids     (B) TYPE: amino acid     (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide</pre>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:	
	Gly Thr Lys Arg Tyr Met 1 5	